

## Lift Tables - Single Scissor

Our largest product group is made up of simple, yet powerful and versatile scissor lift tables.



Model	Art. No.	Capacity (kg)	Lift stroke (mm)	Lowest height (mm)	Length (mm)	Width (mm)	Lifting time (sec)	kW	Weight pack. incl. (kg)
TR 501	609945	500	600	160	900	700	12	0,37	140
TR 1002	608179	1000	600	160	900	700	22	0,37	145
TL 1001B	33024	1000	820	180	1200	800	15	0,75	180
★ TL 1000	34964	1000	820	180	1300	700	15	0,75	185
TL 1000B	32920	1000	820	180	1300	800	15	0,75	190
TL 1000XB	32925	1000	820	180	1300	1000	15	0,75	210
★ TL 2000	22010	2000	820	200	1300	800	17	1,50	237
TL 2000B	22011	2000	820	200	1300	1000	17	1,50	249
TL 2000XB	512633	2000	820	200	1300	1200	17	1,50	275
TL 3000	33560	3000	820	250	1300	800	26	1,50	300
TL 1000H	613230	1000	930	180	1350	800	15	0,75	214
TB 2000	22253	2000	1000	220	1500	1000	26	1,50	260
TB 2000B	22254	2000	1000	220	1500	1200	26	1,50	280
TM 1000	32970	1000	1100	180	1700	700	27	0,75	260
TM 1500	22012	1500	1100	230	1700	1000	17	1,50	311
TM 1500B	33145	1500	1100	230	1700	1200	17	1,50	337
TM 3000	33180	3000	1100	250	1700	900	27	1,50	386
TM 6000	33810	6000	1100	300	1700	900	32	3,00	550
TA 1000	33335	1000	1300	200	2000	800	16	1,50	300
TA 2000	34230	2000	1300	230	2000	900	30	1,50	400
TA 4000	33860	4000	1300	350	2000	1200	27	3,00	650
TS 2001	606524	2000	1500	250	2200	1200	27	1,50	542
★ TS 2001B	610969	2000	1500	250	2200	1500	27	1,50	598
TS 4000	33430	4000	1500	350	2200	1200	27	3,00	700
TS 4000B	33440	4000	1500	350	2200	1500	27	3,00	770
TS 6000	89031	6000	1300	400	2200	1200	35	3,00	750
TS 6000B	89032	6000	1300	400	2200	1500	35	3,00	800
TT 3000	32662	3000	1700	300	2500	1300	27	3,00	705
TT 4000	89030	4000	1600	400	2500	1500	41	3,00	570
TT 6001	89033	6000	1600	450	2500	1200	41	3,00	800
TP 3000	514564	3000	2000	400	3000	1500	38	3,00	1160
TP 5000	89028	5000	2000	400	3000	1500	50	3,00	1050
TP 10000	89027	10000	1500	600	3000	2000	41	5,50	1800



## Lift Tables - Vertical Double & Triple Scissors

The user gets access to a higher height range compared to what is possible with a single scissor lift table.

Model	Art. No.	Capacity (kg)	Lift stroke (mm)	Lowest height (mm)	Length (mm)	Width (mm)	Lifting time (sec)	kW	Weight pack. incl. (kg)
TRD 500	600330	500	1100	275	900	700	28	0,37	185
TLD 1000	600613	1000	1600	320	1300	800	23	1,50	230
TLD 1000XB	601741	1000	1600	320	1300	1000	23	1,50	250
TLT 1500	600851	1500	2400	500	1300	800	60	1,50	525
TLD 2000	22018	2000	1600	360	1300	800	34	1,50	325
★ TLD 2000B	22015	2000	1600	360	1300	1000	34	1,50	345
TLD 2000XB	524835	2000	1600	360	1300	1200	34	1,50	360
TBD 2000	611320	2000	1800	360	1500	1000	34	1,50	425
TMD 1500	22013	1500	2200	400	1700	1000	46	1,50	460
TMT 1500	22014	1500	3300	600	1700	1000	55	1,50	580
★ TMD 3000	33510	3000	2200	500	1700	900	50	3,00	580
TAD 2000	611666	2000	2550	450	2000	900	59	1,50	630
TSQ 1000	604738	1000	6000	1000	2200	1200	80	3,00	1500
TSD 1500	33370	1500	3000	450	2200	1200	55	1,50	720
★ TST 2000	33780	2000	4500	700	2200	1200	80	3,00	1120
TTD 3000	33670	3000	3300	600	2500	1300	60	3,00	1200
TTD 4000	89037	4000	3000	700	2500	1500	63	5,50	950
TPD 3000	601319	3000	4000	700	3000	1500	80	3,00	2100
TPT 4000	604124	4000	6000	1000	3000	1500	104	5,50	2880
TXD 8000	89038	8000	5000	1100	4000	2500	106	2x5,50	4600



Edmo Lift 



## Lift Tables - Horizontal Double Scissors

To handle goods that are both heavy and long you require a scissor lift table with special properties.

Model	Art. No.	Capacity (kg)	Lift stroke (mm)	Lowest height (mm)	Length (mm)	Width (mm)	Lifting time (sec)	kW	Weight pack. incl. (kg)
TLH 2000	32930	2000	820	180	2600	800	30	0,75	350
TLH 4000	33115	4000	820	200	2600	800	35	1,50	450
TBH 4000	603261	4000	1000	220	3000	1000	40	1,50	490
TMH 3000	33147	3000	1100	230	3400	900	35	1,50	700
★ TMH 6000	33176	6000	1100	250	3400	900	55	1,50	740
TMH 10000	33902	10000	1100	300	3400	900	64	3,00	1100
TAH 2000	33885	2000	1300	200	4000	800	32	1,50	600
TAH 4000	34395	4000	1300	230	4000	900	62	1,50	800
TAH 8000	33890	8000	1300	350	4000	1200	53	3,00	1300
TSH 4001	610970	4000	1500	250	4400	1200	55	1,50	1036
TSH 8000	33495	8000	1500	350	4400	1200	53	3,00	1360
TTH 6000	32885	6000	1700	300	5000	1300	53	3,00	1400
TTH 8000	89035	8000	1600	400	5000	1200	41	3,0	1200
TPH 6001	89036	6000	2000	350	6000	1500	49	5,50	1600
TPH 8000	89034	8000	2000	400	6000	1500	50	5,50	2200



Edmo Lift 



## Lift Tables - Low Profile

A scissor lift table with a low profile lift table has a low closed height of only 80-100 mm, meaning that no pit is required.

Model	Art. No.	Capacity (kg)	Lift stroke (mm)	Lowest height (mm)	Length (mm)	Width (mm)	Lifting time (sec)	kW	Weight pack. incl. (kg)
TCR 500	34919	500	630	80	900	600	9	0,75	138
★ TCL 1000	601234	1000	820	80	1350	800	13	0,75	250
TCL 1000B	601241	1000	820	80	1350	1000	13	0,75	275
TCL 1000GB	601224	1000	820	80	1350	1270	13	0,75	300
★ TUL 1000	601243	1000	820	80	1350	1080	13	0,75	240
TCL 2000	601377	2000	820	100	1350	800	24	0,75	325
TCL 2000B	601904	2000	820	100	1350	1000	24	0,75	355
TCL 2000GB	601905	2000	820	100	1350	1270	24	0,75	400
TUL 2000	601906	2000	820	100	1350	1180	24	0,75	350
TUB 600H	33255	600	970	80	1450	900	19	0,75	250
TUB 600	33250	600	720	80	1450	900	13	0,75	250
TCB 600	33245	600	720	80	1500	900	13	0,75	210
TCB 600H	33638	600	970	80	1500	900	19	0,75	210



Edmo Lift® 



## C-series Single Scissor

Model	Art. No.	Capacity (kg)	Lift stroke (mm)	Lowest height (mm)	Length (mm)	Width (mm)	Lifting time (sec)	kW	Weight pack. incl. (kg)
CR 500	36473	500	600	160	900	600	12	0,37	110
CR 1000	515215	1000	600	160	900	700	23	0,37	130
★ CL 1001	36045	1000	820	180	1200	800	15	0,75	180
CL 1500	524827	1500	820	200	1300	1200	17	1,50	255
CL 2000	36474	2000	820	200	1300	800	17	1,50	250
CL 2000B	613210	2000	820	200	1300	1000	17	1,50	264
CB 1200	524828	1200	1000	210	1500	1200	17	1,50	305
CB 1500	36475	1500	1000	210	1500	800	17	1,50	275
CB 1500B	36478	1500	1000	210	1500	1000	17	1,50	300

## C-series - Vertical Double Scissor

Model	Art. No.	Capacity (kg)	Lift stroke (mm)	Lowest height (mm)	Length (mm)	Width (mm)	Lifting time (sec)	kW	Weight pack. incl. (kg)
CRD 200	36472	200	1170	280	900	600	12	0,37	125
CLD 1500	518584	1500	1420	360	1300	850	29	1,50	320

## C-series - Low Profile

Model	Art. No.	Capacity (kg)	Lift stroke (mm)	Lowest height (mm)	Length (mm)	Width (mm)	Lifting time (sec)	kW	Weight pack. incl. (kg)
CUB 1000	34858	1000	720	80	1450	1085	13	0,75	240
CCB 1000	34860	1000	720	80	1500	800	13	0,75	225
CCB 1000B	35395	1000	720	80	1500	1000	13	0,75	235
CCB 1000XB	524834	1000	720	80	1500	1200	13	0,75	310

## C-series - Lift Trolleys

Model	Art. No.	Capacity (kg)	Platform max height (mm)	Lowest height (mm)	Length (mm)	Width (mm)	Platform length (mm)	Platform width (mm)	Weight pack. incl. (kg)
CZ 203	524674	200	930	330	1150	650	900	600	65
CZD 203	521449	200	1620	450	1150	650	900	600	85
CZ 503	521448	500	930	330	1150	650	900	600	75



## LTT 750 for milkrun trains

The LTT 750 is EdmoLift's next generation of lift- and tilt solutions that has been developed to meet the challenges of tomorrow within material handling processes.

Model	Art. No.	Capacity (kg)	Lift stroke (mm)	Lowest height (mm)	Length (mm)	Width (mm)	Lifting time (sec)	Tilt angle	kW	Weight pack. incl. (kg)
★ LTT 750	613410	750	650	190	1200	550	14	40°	0,75	315

## Armlift ARZ for milkrun trains


The ARZ has a cutting-edge design, which provides unique opportunities to streamline the flow of materials in a safe and ergonomic way.

Model	Art. No.	Capacity (kg)	Lift stroke (mm)	Lowest height (mm)	Length (mm)	Width (mm)	Lifting time (sec)	Tilt angle	kW	Weight pack. incl. (kg)
★ ARZ 750	609300	750	550	220	1300	550	15		0,37	260
ARZ 1200	609460	1200	550	220	1020	770	15		0,75	300

## Armlift

Loaded pallets on the Armlift are lifted to the desired working height and tilted to the required working angle. The Armlift eliminates work situations where you are forced to stretch, bend and twist.

Model	Art. No.	Capacity (kg)	Lift stroke (mm)	Lowest height (mm)	Length (mm)	Width (mm)	Platform length (mm)	Platform width (mm)	Lifting time (sec)	kW	Weight pack. incl. (kg)
★ ART 750	34542	750	550	235	1000	1300	945	1300	18	0,75	270
ART 1500	22023	1500	550	235	1000	1300	945	1300	16	0,75	320
ALT 750	22035	750	820	235	1300	800	1245	800	18	0,75	300
★ ALT 1500	34031	1500	820	235	1300	800	1245	800	16	0,75	430
ALT 1500U	34010	1500	820	6	1380	1510	1200	1050	16	0,75	410
ALT 1500UE	34085	1500	820	6	1380	1310	1200	850	16	0,75	390
ALT 1500GB	34240	1500	820	6	1380	1730	1200	1270	16	0,75	440



## Pallet Lifters

The Pallet Lifter has clear leg- and foot space on three sides which gives superior access and makes working simpler and more efficient.

Model	Art. No.	Capacity (kg)	Lift stroke (mm)	Lowest height (mm)	Length (mm)	Width (mm)	Lifting time (sec)	kW	Weight pack. incl. (kg)
★ TSL 750	613473	750	900	70	1245	850	13	0,75	250
TSE 750	613644	750	900	10	1245	1040	13	0,75	340
★ TSLN 750	613471	750	900	70	1245	850	13	0,75	275
TSL 1503	613209	1500	880	50	1250	840	26	0,75	670
TSLN 1503	613195	1500	880	50	1250	840	26	0,75	710

## Pallet lifter - Column

Model	Art. No.	Capacity (kg)	Lift stroke (mm)	Lifting time (sec)	kW	Weight pack. incl. (kg)
Column TSL 750	613472	750	900	13	0,75	160

## Tilt Tables

The tilt function is used to incline the platform and make the goods more accessible for a more ergonomic designed work place.

Model	Art. No.	Length (mm)	Width (mm)	Lowest height (mm)	Tilt angle	Tilt over	Torque (kNm)	kW	Weight pack. incl. (kg)
EDLF 65	36085	1300	800	320	90°	800	6,5	0,75	165
ESLF 65	36076	800	1300	320	45°	1300	6,5	0,75	165

## Lift Trolleys

EdmoLift's TZ series is a series of stable Swedish manufactured trolleys and work tables.

Model	Art. No.	Capacity (kg)	Platform max height (mm)	Lowest height (mm)	Length (mm)	Width (mm)	Platform length (mm)	Platform width (mm)	Battery	Charger	Weight pack. incl. (kg)
TZ 303	521443	300	930	330	1150	650	900	600	-	-	65
★ TZ 503	521444	500	930	330	1150	650	900	600	-	-	75
★ TZD 203	521445	200	1620	450	1150	650	900	600	-	-	85
TZ 503B	22030	500	930	330	1150	650	900	600	12V / 24Ah	1,5A / 230V	90
TZD 203B	22032	200	1620	450	1150	650	900	600	12V / 24Ah	1,5A / 230V	100
EZ 1001B	610490	1000	900	300	1180	800	900	800	12V / 28Ah	4A / 230V	190
EZD 500B	614402	500	1515	415	1190	800	900	800	12V / 28Ah	4A / 230V	290



EdmoLift®



## Commander Series

Model	Art. No.	Capacity (kg)	Platform max height (mm)	Lowest height (mm)	Length (mm)	Width (mm)	Height (mm)	Platform length (mm)	Platform width (mm)	Lifting time (mm/sec)	Battery	Charger	Weight pack. incl. (kg)
WP 70S	87419	70	1062	112	721	450	1225	400	450	125	24V/7,2Ah	1,8A/24V	27
WP 70	87418	70	1357	112	677	455	1517	400	450	125	24V/7,2Ah	1,8A/24V	28
WP 70EM	87420	70	1757	112	677	455	1917	400	450	125	24V/7,2Ah	1,8A/24V	30
WP 90S	87669	90	1062	112	721	450	1225	400	450	125	24V/7,2Ah	1,8A/24V	27
WP 90	87668	90	1357	112	677	455	1517	400	450	125	24V/7,2Ah	1,8A/24V	28
WP 90EM	87667	90	1757	112	677	455	1917	400	450	125	24V/7,2Ah	1,8A/24V	30
WP 70S SS	87686	70	1089	139	747	560	1217	495	495	125	24V/7,2Ah	1,8A/24V	29
WP 70 SS	87687	70	1384	139	747	560	1512	495	495	125	24V/7,2Ah	1,8A/24V	30
WP 70EM SS	87688	70	1784	139	747	560	1912	495	495	125	24V/7,2Ah	1,8A/24V	32

## Industrial Series

Model	Art. No.	Capacity (kg)	Platform max height (mm)	Lowest height (mm)	Length (mm)	Width (mm)	Height (mm)	Platform length (mm)	Platform width (mm)	Lifting time (mm/sec)	Battery	Charger	Weight pack. incl. (kg)
WP 80	87684	80	1303	102	848	534	1642	400	450	125	24V/9Ah	2A/24V	30
WP 80EM	87685	80	1703	102	848	534	1920	400	450	125	24V/9Ah	2A/24V	31
WP 90S Q	87670	90	1302	110	848	534	1520	500	500	125/270	24V/9Ah	2A/24V	43
WP 90 Q	87671	90	1702	110	848	534	1920	500	500	125/270	24V/9Ah	2A/24V	45
WP 90EM Q	87672	90	2102	110	848	534	2320	500	500	125/270	24V/9Ah	2A/24V	47
WP 130S	87673	130	1302	102	848	534	1520	500	500	125	24V/9Ah	2A/24V	43
WP 130	87674	130	1702	102	848	534	1920	500	500	125	24V/9Ah	2A/24V	45
WP 130EM	87675	130	2102	102	848	534	2320	500	500	125	24V/9Ah	2A/24V	47

Edmo Lift®





WP 130EMX	87737	130	2282	102	848	534	2500	500	500	125	24V/9Ah	2A/24V	50
WP 130EMXX	87739	130	2828	102	848	534	3046	500	500	125	24V/9Ah	2A/24V	53
WP 200S	87676	200	1284	84	848	534	1567	500	400	125	24V/9Ah	2A/24V	55
WP 200	87677	200	1682	84	848	534	1976	500	400	125	24V/9Ah	2A/24V	57
WP 200EM	87678	200	2084	84	848	534	2376	400	400	125	24V/9Ah	2A/24V	59

### Stainless Steel Series

Model	Art. No.	Capacity (kg)	Platform max height (mm)	Lowest height (mm)	Length (mm)	Width (mm)	Height (mm)	Platform length (mm)	Platform width (mm)	Lifting time (mm/sec)	Battery	Charger	Weight pack. incl. (kg)
WP 90S SS Q	87761	90	1008	83	746	550	1221	495	495	125/270	24V/7,2Ah	1,8A/24V	41
WP 90 SS Q	87689	90	1297	83	746	550	1516	495	495	125/270	24V/7,2Ah	1,8A/24V	44
WP 90EM SS Q	87690	90	1703	83	746	550	1918	495	495	125/270	24V/7,2Ah	1,8A/24V	47
WP 200S SS	87679	200	1280	80	899	550	1610	500	400	125	24V/18Ah	1,8A/24V	67
WP 200 SS	87680	200	1650	80	899	550	1980	500	400	125	24V/18Ah	1,8A/24V	71
WP 200EM SS	87681	200	2080	80	899	550	2410	500	400	125	24V/18Ah	1,8A/24V	76
WP 300 SS	87682	300	1448	148	1120	580	1970	600	600	125	24V/18Ah	3A/24V	105
WP 300EM SS	87683	300	1798	148	1120	580	2320	600	600	125	24V/18Ah	3A/24V	115



Edmo Lift®

